

POOL CATALOGUE

Drainage




TABLE OF CONTENTS - click on the item or page number required to go directly to it

Ag Pipe & Accessories	4.3
Drainage - Pits	4.1
- Channel, Trenching, Matting	4.2
- Stainless Steel Trough & Grate	4.3
Pipe - Slotted Ag Pipe	4.3
Pits - Stormwater Pits	4.1
Trenching - Plastic & stainless Steel	4.2 - 4.3







DRAINAGE

PITS

	PART No	NAME
 <p>200 Series Unipit</p>	PPG400	200 Series Unipit with Black Plastic Grate * Grate avail in Aluminium in 3 Colours * Pit Size: 225 x 225 x 89mm
	PPG440	300 Series Unipit with Flush Aluminium Grate * Grate avail in 3 Colours, Class C Ductile Iron & Class A Steel * Pit Size: 334 x 334 x 139mm
	PPG500	450 Series Unipit with Gal Steel Class A Grate * Pit Size: 567 x 567 x 355mm
 <p>Series 300 Domestic Stormwater Pit</p>	PPG505	450 Series Unipit with Gal w/ Handle Class B Grate * Pit Size: 567 x 567 x 355mm
	PPG540	Series 250 Rainwater Pit with Black Plastic Grate * Grate avail: Plastic 4 Colours, Aluminium & 3 colours * Pit Size: 250 x 250 x 285mm
	PPG650	Series 300 Short Pit with Flush Aluminium Grate * Grate avail Aluminium 3 Colours, Solid Aluminium, Class A Gal * Pit Size: 350 x 350 x 325mm
 <p>Series 600 Commercial Stormwater Pit</p>	PPG600	Series 300 Deep Pit with Flush Aluminium Grate * Grate avail Aluminium 3 Colours, Solid Aluminium, Class A Gal * Pit Size: 345 x 345 x 450mm
	PPG700	Series 450 Short Pit with Gal Class A Grate * Grate avail: Gal Class A & B, Checker Plate Class A * Pit Size: 560 x 560 x 510mm
	PPG730	Series 450 Deep Pit with Gal Class A Grate * Grate avail: Gal Class A & B, Checker Plate Class A * Pit Size: 460 x 460 x 625mm
	PPG760	Nviro Pit Silt arrester with Gal Class A Grate * 460 x 460 x 625mm
	PPG770	Nviro Pit Silt arrester with Gal Class B Grate * 460 x 460 x 625mm
	PPG800	Series 600 Commercial Pit with Gal Class A Grate * Grate avail: Gal Class A & B, Gal Checker Plate Class A


DRAINAGE

DRAIN & ACCESSORIES

	PART No	NAME
 <p>Rein Storm Drain – Garage Pack</p>	PPG330	Rein Storm Drain – Garage Pack
	PPG100	Storm Drain 1 metre w/ black plastic grate * coloured or stainless steel grate optional
	PPG200	Storm Drain 3 metre w/ black plastic grate * coloured or stainless steel grate optional
	PPG250	Storm Drain 90 Degree Corner
	PPG290	Storm Drain End Cap
 <p>Rein Storm Drain with black plastic grate</p>	PPG295	Storm Drain End Outlet
	PPG300	Storm Drain Atrium Leafguard
	PPG005	Rain Drain 1 metre w/ black plastic grate * coloured grate or gal grate optional
	PPG030	Rain Drain 3 metre w/ black plastic grate * coloured grate or gal grate optional
	PPG050	Rain Drain Joiner
 <p>Rein Drain Trenching 430mm</p>	PPG055	Rain Drain End Cap
	PPG060	Rain Drain Pit Clip
	PPG065	Rain Drain Corner Clip
	PPG070	Rain Drain 90 Degree Corner
	PPG900	Rein Drain Trenching 1520mm x 230mm
 <p>Rein Drain Matting – for use with Drain Trenching</p>	PPG905	Rein Drain Trenching 1520mm x 350mm
	PPG910	Rein Drain Trenching 1520mm x 430mm
	PPG930	Matting 6m x 600mm
	PPG935	Matting 6m x 2m
	PPG940	Matting 30m x 600mm
	PPG945	Matting 30m x 1.2m
	PPG950	Matting 30m x 2m

DRAINAGE

AG PIPE

	PART No	NAME	SIZE
	PTA040	Slotted Ag Pipe	50mm x 20m roll
	PTA035	Slotted Ag Pipe	65mm x 20m roll
	PTA030	Slotted Ag Pipe	100mm x 20m roll
	PTA032	Slotted Ag Pipe	100mm x 100m roll
	PTA045	Slotted Ag Pipe with Stocking	65mm x 20m roll
	PTA046	Slotted Ag Pipe with Stocking	100mm x 20m roll
	PTA047	Slotted Ag Pipe with Stocking	100mm x 100m roll
	PTA042	Stocking for Ag Pipe per m	100mm
	PTA041	Ag Pipe Coupling	100mm
	PTA043	Ag Pipe Adaptor	100mm X 100mm
PTA044	Ag Pipe Adaptor	100mm X 90mm	

STAINLESS STEEL TROUGH & GRATE – AQUADUX PLATINUM

	DESCRIPTION
	<p>Dux Platinum Stainless Steel is 100% Australian and made to Australian standards.</p> <p>Application - Architectural designed drainage solutions for your pool.</p> <p>Colours - Marine grade Stainless Steel</p> <p>Sizes - 50mm, 75mm, 100mm, 150mm and 200mm are standard widths, however, the Aquadux Platinum range can be tailored to suit your specific needs.</p>